

EAST Search History

EAST Search History (Prior Art)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	1	"20050063669".pn. and (wave or signal)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/01 09:40
L2	1	"20050063669".pn. and (system same (module or logic or unit))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/01 09:41
L3	2	"20050229203".pn. and (wave or signal)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/01 09:41
L4	1	"20050229203".pn. and ((system or apparatus) same (unit or module or software or program or logic))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/01 09:45
S1	6	"20050081245".pn. "6675388".pn. "6796555".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/30 08:48
S2	2	@ad<"20040413" and "725"/\$.ccls. and ((previous\$4 or prior) with (tune or tuning or tuned) with RF with (modulat\$3 or remodulat \$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/30 10:09

S3	3	@ad<"20040413" and "725"/\$.ccls. and ((previous\$4 or prior) with (tune or tuning or tuned) with (RF or (radio adj (freq or frequency))) with (modulat\$3 or remodulat\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/30 10:11
S4	5	@ad<"20040413" and "725"/\$.ccls. and ((previous\$4 or prior) with (tune or tuning or tuned) with (power\$4 near2 (off or down)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/30 10:11
S5	2	@ad<"20040413" and "725"/\$.ccls. and ((previous\$4 or prior) with (tune or tuning or tuned) with (power\$4 near2 (off or down)) with (remote or control \$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/30 10:12
S6	3	S4 not S5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/30 10:15
S7	26	@ad<"20040413" and "725"/\$.ccls. and ((previous\$4 or prior) with (tune or tuning or tuned) with (stt or stb or vcr or pvr or dvr or (set adj top)) with (television or tv))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/30 10:17
S8	20	@ad<"20040413" and "725"/\$.ccls. and ((previous\$4 or prior) with (tune or tuning or tuned) with (stt or stb or vcr or pvr or dvr or (set adj top)) with (television or tv) with channel)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/30 10:17

S9	0	@ad<"20040413" and ((previous\$4 or prior) with (tune or tuning or tuned) with (stt or stb or vcr or pvr or dvr or (set adj top)) with (television or tv) with channel with (modulat\$3 or remodulat\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/30 10:19
S10	0	@ad<"20040413" and ((previous\$4 or prior) with (tune or tuning or tuned) with (stt or stb or vcr or pvr or dvr or (set adj top)) with (television or tv) with (modulat\$3 or remodulat\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/30 10:19
S11	0	@ad<"20040413" and ((previous\$4 or prior\$3) with (tune or tuning or tuned) with (stt or stb or vcr or pvr or dvr or (set adj top)) with (television or tv) with (modulat\$3 or remodulat\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/30 10:19
S12	32	@ad<"20040413" and ((tune or tuning or tuned) with (stt or stb or vcr or pvr or dvr or (set adj top)) with (television or tv) with (modulat\$3 or remodulat\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/30 10:20
S13	21	@ad<"20040413" and ((tune or tuning or tuned) with (stt or stb or vcr or pvr or dvr or (set adj top)) with (television or tv) with (modulat\$3 or remodulat\$3) with channel)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/30 10:20
S14	0	@ad<"20040413" and ((tune or tuning or tuned) with (television or tv) with (modulat\$3 or remodulat\$3) with channel with (prior\$3 or previous\$3) with direct \$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/30 10:23

S15	2	@ad<"20040413" and ((tune or tuning or tuned) with (television or tv) with (modulat\$3 or remodulat\$3) with channel with (prior\$3 or previous\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/30 10:25
S16	11	@ad<"20040413" and ((tune or tuning or tuned) with (television or tv) with (modulat\$3 or remodulat\$3) with channel with (direct\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/30 10:29
S17	11	@ad<"20040413" and ((tune or tuning or tuned) with (television or tv) with (modulat\$3 or remodulat\$3) with channel with (remote adj control\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/30 10:31
S18	2	@ad<"20040413" and (tuner with ((cable adj box) or stt or stb or dvr or pvr or (video adj record\$3) or (set adj top)) with available with (modulat\$3 or remodulat\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/30 10:40
S19	10	@ad<"20040413" and (tuner with ((cable adj box) or stt or stb or dvr or pvr or (video adj record\$3) or (set adj top)) with (available or use or used or unused) with (modulat\$3 or remodulat\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/30 10:43
S20	8	S19 not S18	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/30 10:44
S21	0	@ad<"20040413" and (tuner with (dvr or pvr or (video adj record\$3)) with (available or use or used or unused) with (modulat\$3 or remodulat\$3) with if with (television or tv))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/30 10:46

S22	0	@ad<"20040413" and (tuner with (dvr or pvr or (video adj record\$3)) with (available or use or used or unused) with (modulat\$3 or remodulat\$3) with (television or tv))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/30 10:46
S23	0	@ad<"20040413" and (tuner with (dvr or pvr or (video adj record\$3)) with (unavailable or available or use or used or unused) with (modulat\$3 or remodulat\$3) with (television or tv))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/30 10:47
S24	160	@ad<"20040413" and (tuner with (dvr or pvr or (video adj record\$3)) with (unavailable or available or use or used or unused))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/30 10:47
S25	2	@ad<"20040413" and (tuner with (dvr or pvr or (video adj record\$3)) with (unavailable or available or use or used or unused) with (tv or television) with direct\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/30 10:47
S26	31	@ad<"20040413" and "725"/\$.ccls. and (tuner with (dvr or pvr or (video adj record\$3)) with (unavailable or available or use or used or unused) with (tv or television))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/30 10:49
S27	0	@ad<"20040413" and "725"/\$.ccls. and (tuner with (dvr or pvr or (video adj record\$3)) with (busy) with (tv or television))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/30 10:59
S28	0	@ad<"20040413" and (tuner with (dvr or pvr or (video adj record\$3)) with (busy) with (tv or television))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/30 10:59

S29	95	@ad<"20040413" and (tuner with (dvr or pvr or (video adj record\$3)) with (unavailable or available or use or used or unused) with (tv or television))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/30 10:59
S30	8	@ad<"20040413" and (tuner with (dvr or pvr or (video adj record\$3)) with (unavailable or available or use or used or unused) with (tv or television) with (remote near2 control\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/30 11:00
S31	4	S30 not S26	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/30 11:00
S32	4	S30 not S31	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/30 11:12
S33	24	@ad<"20040413" and ((tuner or tune or tuned or tuning) with (dvr or pvr or (video adj record \$3)) with (unavailable or available or use or used or unused or busy) with (tv or television) with (switch\$3 or transfer\$4 or select\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/30 11:18
S34	0	@ad<"20040413" and ((tuner or tune or tuned or tuning) with (dvr or pvr or (video adj record \$3)) with (unavailable or available or use or used or unused or busy) with (tv or television) with (modulat\$3 or remodulat \$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/30 11:29

S35	195	@ad<"20040413" and ((tuner or tune or tuned or tuning) with (unavailable or available or use or used or unused or busy) with (tv or television) with (modulat\$3 or remodulat\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/30 11:29
S36	74	@ad<"20040413" and "725"/\$.ccls. and ((tuner or tune or tuned or tuning) with (unavailable or available or use or used or unused or busy) with (tv or television) with (modulat\$3 or remodulat\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/30 11:30
S37	5	@ad<"20040413" and "725"/\$.ccls. and ((tuner or tune or tuned or tuning) with (unavailable or available or use or used or unused or busy) with (tv or television) with (modulat\$3 or remodulat\$3) with direct \$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/30 11:30
S38	2	@ad<"20040413" and "725"/\$.ccls. and ((tuner or tune or tuned or tuning) with (unavailable or available or use or used or unused or busy) with (tv or television) with (modulat\$3 or remodulat\$3) with (remote near2 control \$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/30 11:33
S39	3	@ad<"20040413" and ((tuner or tune or tuned or tuning) with (unavailable or available or use or used or unused or busy) with (tv or television) with (modulat\$3 or remodulat\$3) with (remote near2 control \$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/30 11:34

S40	7	@ad<"20040413" and (tuner with (stt or stb or (set adj top)) with (busy or unavailable or used or use available) with (swap \$4 or switch\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/30 11:37
S41	12	@ad<"20040413" and (tuner with (dvr or pvr or (video adj record\$3)) with (busy or unavailable or used or use available) with (swap\$4 or switch \$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/30 11:43
S42	10	S41 not S40	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/30 11:44
S43	792	@ad<"20040413" and (((television or tv) near2 tuner) with (dvr or pvr or (video adj record\$3) or stt or stb or (set adj top)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/30 11:48
S44	67	@ad<"20040413" and (((television or tv) near2 tuner) with (dvr or pvr or (video adj record\$3) or stt or stb or (set adj top)) with (busy or unavailable or use or used))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/30 11:49
S45	25	@ad<"20040413" and "725"/\$.ccls. and (((television or tv) near2 tuner) with (dvr or pvr or (video adj record\$3) or stt or stb or (set adj top)) with (busy or unavailable or use or used))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/30 11:49
S46	0	@ad<"20040413" and "725"/\$.ccls. and (((television or tv) near2 tuner) with (dvr or pvr or (video adj record\$3) or stt or stb or (set adj top)) with (busy or unavailable))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/30 11:50

S47	0	@ad<"20040413" and (((television or tv) near2 tuner) with (dvr or pvr or (video adj record\$3) or stt or stb or (set adj top)) with (busy or unavailable))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/30 11:50
S48	15	@ad<"20040413" and (((television or tv) near2 tuner) with (dvr or pvr or (video adj record\$3) or stt or stb or (set adj top)) with (available))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/30 11:50
S49	0	@ad<"20040413" and "725"/\$.ccls. and (search \$3 with source with (unavailable or busy) with channel)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/30 15:09
S50	0	@ad<"20040413" and "725"/\$.ccls. and ((search \$3) with alternative with (unavailable or busy) with channel)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/30 15:09
S51	10	@ad<"20040413" and "725"/\$.ccls. and ((search \$3) with alternative with channel)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/30 15:10
S52	9	@ad<"20040413" and "725"/\$.ccls. and (((turn \$3 or power\$4) near2 (on or up)) with (previous \$4 or prior\$3) with (channel))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/30 15:18
S53	0	@ad<"20040413" and "725"/\$.ccls. and (((turn \$3 or power\$4) near2 (on or up)) with (previous \$4 or prior\$3) with (channel) with (available or unavailable or busy or use or using or used))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/30 15:19

S54	12	@ad<"20040413" and (((turn\$3 or power\$4) near2 (on or up)) with (previous\$4 or prior\$3) with (channel) with (available or unavailable or busy or use or using or used))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/30 15:19
S55	17	@ad<"20040413" and "725"/\$.ccls. and (((turn \$3 or power\$4) near2 (on or up)) with (unavailable or available or busy or use or used or using) with (channel))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/30 15:26
S56	14	@ad<"20040413" and "725"/\$.ccls. and (((turn \$3 or power\$4) near2 (on or up)) with (unavailable or available or busy or use or used) with (channel))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/30 15:26
S57	0	@ad<"20040413" and "725"/\$.ccls. and (((turn \$3 or power\$4) near2 (on or up)) with (previous \$4 or prior\$3) with (freq or frequency) with (available or unavailable or busy or use or using or used))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/30 15:29
S58	6	"20040068737".pn. "4566034".pn. "5900916".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/30 15:39
S59	17	@ad<"20040413" and "725"/\$.ccls. and ((remote adj control\$4) with (stt or stb or (set adj top)) with (tv or television) with (channel near2 (up or down or chang\$3)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/30 16:27
S60	0	@ad<"20040413" and "725"/\$.ccls. and ((remote adj control\$4) with (stt or stb or (set adj top)) with (tv or television) with mode with depend\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/30 16:31

S61	7	@ad<"20040413" and "725"/\$.ccls. and ((remote adj control\$4) with (stt or stb or (set adj top)) with (tv or television) with mode)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/30 16:32
S62	0	@ad<"20040413" and "725"/\$.ccls. and (((remote adj control\$4) with (stt or stb or (set adj top)) with (tv or television) with mode) same (channel near2 (up or down or chang\$3)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/30 16:32
S63	92	@ad<"20040413" and "725"/\$.ccls. and ((remote near2 control \$4) same ((stt or stb or (set adj top) or cable or vcr) with (channel near2 (up or down or chang \$3))) same ((tv or television) with (channel near2 (up or down or chang\$3))))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/30 16:39
S64	91	@ad<"20040413" and "725"/\$.ccls. and ((remote adj control\$4) same ((stt or stb or (set adj top) or cable or vcr) with (channel near2 (up or down or chang\$3))) same ((tv or television) with (channel near2 (up or down or chang\$3))))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/30 16:39
S65	8	@ad<"20040413" and "725"/\$.ccls. and ((remote adj control\$4) same automatic\$5 same mode same ((stt or stb or (set adj top) or cable or vcr) with (channel near2 (up or down or chang\$3))) same ((tv or television) with (channel near2 (up or down or chang\$3))))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/30 16:42

S66	18	@ad<"20040413" and "725"/\$.ccls. and ((remote adj control\$4) with (automatic\$5) with (mode or device) with set \$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/30 16:47
S67	13	@ad<"20040413" and "725"/\$.ccls. and ((remote adj control\$4) with (automatic\$5) with (mode or device) with switch\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/30 16:55
S68	0	@ad<"20040413" and "725"/\$.ccls. and ((remote adj control\$4) with (automatic\$5) with (transmit\$4 or send\$3 or direct\$3) with correct with device)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/30 17:03
S69	11	@ad<"20040413" and "725"/\$.ccls. and ((remote adj control\$4) with (automatic\$5) with (transmit\$4 or send\$3 or direct\$3) with device)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/30 17:03
S70	57	@ad<"20040413" and "725"/\$.ccls. and ((remote adj control\$4) with (transmit\$4 or send \$3 or direct\$3) with device with (correct or appropriate))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/30 17:06
S71	7	@ad<"20040413" and "725"/\$.ccls. and ((remote adj control\$4) with (transmit\$4 or send \$3 or direct\$3) with device with (correct or appropriate) with (stt or stb or (set adj top)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/30 17:07
S72	0	@ad<"20040413" and "725"/\$.ccls. and ((remote adj control\$4) with redistribut\$3 with (signal or code) with (tv or television) with (stt or stb or (set adj top)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/30 17:11

S73	0	@ad<"20040413" and "725"/\$.ccls. and ((remote adj control\$4) with redistribut\$3 with (signal or code or instruction) with (tv or television) with (stt or stb or (set adj top)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/30 17:11
S74	0	@ad<"20040413" and "725"/\$.ccls. and ((remote adj control\$4) with redistribut\$3 with (tv or television) with (stt or stb or (set adj top)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/30 17:11
S75	5	@ad<"20040413" and "725"/\$.ccls. and ((remote adj control\$4) with distribut\$3 with (tv or television) with (stt or stb or (set adj top)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/30 17:11
S76	1	@ad<"20040413" and "725"/\$.ccls. and ((remote adj control\$4) with distribut\$3 with (tv or television) with (stt or stb or (set adj top))) and (channel near2 (up or down or chang\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/30 17:13
S77	70	@ad<"20040413" and "725"/\$.ccls. and ((remote adj control\$4) with (signal or instruction or code) with (tv or television) with (stt or stb or (set adj top))) and (channel near2 (up or down or chang\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/30 17:14
S78	1	@ad<"20040413" and "725"/\$.ccls. and ((remote adj control\$4) with (rout\$3 or rerout\$3) with (signal or instruction or code) with (tv or television) with (stt or stb or (set adj top))) and (channel near2 (up or down or chang\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/30 17:18

S79	2	@ad<"20040413" and "725"/\$.ccls. and ((remote adj control\$4) with (rout\$3 or rerout\$3) with (tv or television) with (stt or stb or (set adj top))) and (channel near2 (up or down or chang\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/30 17:18
S80	21	@ad<"20040413" and "725"/\$.ccls. and ((remote adj control\$4) with (connected) with (tv or television) with (stt or stb or (set adj top))) and (channel near2 (up or down or chang\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/30 17:19
S81	29	@ad<"20040413" and "725"/\$.ccls. and ((remote adj control\$4) with (vcr or dvr or pvr or (video adj record\$3)) with (tv or television) with (stt or stb or (set adj top))) and (channel near2 (up or down or chang\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/30 17:22
S82	44	@ad<"20040413" and "725"/\$.ccls. and ((remote adj control\$4) with channel with chang \$3 with (up or down) with (epg or ipg or (program\$4 adj guide)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/30 17:25

10/ 1/ 2009 10:46:48 AM

C:\ Documents and Settings\ jshepard\ My Documents\ EAST\ Workspaces\ paul_10823946.
wsp